

To: The Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 7,411,570
DATED : August 12, 2008
INVENTOR(S) : Toru KAWASE et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE CLAIMS

In column 10, line 53, claim 4, please replace “starting timing ofsubfields” with “starting timing of subfields”.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of : **Attn: Certificate of**
Toru KAWASE et al. : **Correction Branch**
Patent No. 7,411,570 : Atty Docket No. 2005_0616A
Issued August 12, 2008 : **Confirmation No. 4735**

METHOD OF DRIVING PLASMA
DISPLAY PANEL AND PLASMA DISPLAY
PANEL IN WHICH A DIFFERENCE BETWEEN
STARTING TIMINGS OF THE SUSTAINING
TIME PERIODS IN ADJACENT BLOCKS IS SET
SUBSTANTIALLY EQUAL TO THE LENGTH
OF THE WRITING TIME PERIOD IN
THE ADJACENT BLOCKS :

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 CFR 1.322, it is respectfully requested that a Certificate of Correction issue to correct the following:

IN THE CLAIMS

In column 10, line 53, claim 4, please replace “starting timing of subfields” with “starting timing of subfields”.

REMARKS

Each of the errors listed above apparently arose due to PTO mistakes. Accordingly, a Certificate of Correction should issue at no expense to patentee. Form PTO-1050 accompanies this request.

The Commissioner is authorized to charge any deficiency or to credit any overpayment associated with this communication to Deposit Account No. 23-0975, with the EXCEPTION of deficiencies in fees for multiple dependent claims in new applications.

Respectfully submitted,

Toru KAWASE et al.

/Jeffrey R. Filipek/

By 2009.01.27 12:21:50 -05'00'

Jeffrey R. Filipek

Registration No. 41,471

Attorney for Patentees

JRF/tab

Washington, D.C.

Telephone (202) 721-8200

Facsimile (202) 721-8250

January 27, 2009